



Fig. 1








Fig. 4




Fig. 5





Fig. 6



Email	261	Email Messages
Linked Knowledge	262	Linked Articles
Visual Database	263	Database Objects
Files and Illustrations	264	Files and Illustration Obje
Address Book	265	Address Book Records
Calendar	266	Calendar Records
Remote Control	267	Remote Control Scenario
Conferencing (Chat)	268	Conferencing (Chat) Sess
Task Manager	269	Task Management Forms

Email Messages	271
Linked Articles	272
Database Objects	273
ion Objects	274
Address Book Records	275
Calendar Records	276
Remote Control Scenarios	277
Conferencing (Chat) Sessions 278	278
Task Management Forms	279

Multiple Object Types 270

Services 260


Fig. 7

Fig. 8

330

Internal Access Levels	340	
External Access Levels	350	
Internal Usage Values	360	_
External Usage Values	370	
Internal Security Type	380	
External Security Type	390	

	Usage	sage Values	
Usage Summary Bookmarks	Bookmarks	New Usage Indicators	Trash Flags




Service service = (service)Class.forName(serviceNames[I].newInstance())

	ons on	Multiple Object Types	Task Manager	509	519	•	•	•				599	
,	Operations on	Multiple	Email	501	511	•	•	•			• •	591	
_/	▼	ervices		500	510	520	530	540	550	260	570	580	290
610		Operations On Services	٠	Open	New	Change	Remove	Bookmark	Show Favorites	Show Trash	Show News	Show History	Check/Set Access
Fig. 10)			SUC	ratio	ədO	dno	Oro	3 [Persona	snoits)ber	O quord

Fig. 11


700





- Associate selected icon with the new service package file (for example, "VoiceMail.jps" file)
 - Save the path to the file in the User and Group profile for the current User/Group
- Update the left frame with the selected icon (for example, "VoiceIcon.gif")

Server: Ready to provide the new service (using, for example, "VoiceMail.jar") User's selection of the new icon Client:: Ready to accept the






Fig. 15

X	1 Level 3:		Save	
Reconfigure Default Organization Fields	Level 1: Project Level 1: RemoteAdmin	Level 4: Notification Add Item:	Empty fields will be removed from the structure	Warning: Applet Window

Fig. 16

Reconfigure Default Organization Fields			\times
Field 1: What	Level 2:	Where	
Field 3: When	Add Item:		
Empty fields will be removed from the structure Warning: Applet Window	Save	Reset all Organization(s) To the Default	Cancel

Fig. 17(a)

Ipserve_development Project User=Jzhuk Privileges=ReadOnly	Project User=Jzhuk l	rivileges=ReadOnly
File ViewPoint Privileges Show	Privileges Show Options Help	
Remote Admin	System Type	Oracle Database
e	Action Language	SQL
Oracle Database	(User) Name	visuData
	Password	ITSchool
Select total	Connection String	Jdbc:oracle:thin:@IPServe.com
	Description:	
Jini Printer	Setup Remote Connection	ction
Web Phone	Record Fields D	Delete Add Action
	Done	
EDIT/DELETE selected RemoteAdmin icon=null or add more to it	min icon=null or add mo	re to it

Fig. 17(b)




Fig. 17(c)




Fig. 17(d)




Fig. 18

